

LIST OF MAIN PLANTS AVAILABLE – AUTUMN 2015

*Indicates plants five or fewer in number

GENUS x SPECIES FAMILY/ <i>height code</i> COMMON NAME	SIZE AND GROWING HINTS (size given as height x width)	DESCRIPTION
HEIGHT CODE: #=<1m ## =1–5m. ### =5–12m		
Acacia acinacea MIMOSACEAE ## (NSW Sthn Tablelands, VIC, SA)	Small to medium spreading shrub, branches often arching, 2mx1.5m. Most well drained soils. Full to part sun. Moderately drought resistant. Frost hardy to –7°C.	Golden globular flowers. Very ornamental Suitable for low windbreaks.
Acacia flexifolia MIMOSACEAE ## Bent-leaf Wattle (Qld, NSW, Vic)	Small, erect shrub 1.3mx1.5m. Hardy. Prefers well-drained, dry position. Prune after flowering. Frost hardy to –7°C.	Profuse yellow ball-like flowers in late winter. Small narrow slightly bent foliage.
Acacia pendula MIMOSACEAE ### Weeping Myall. or Boree (Vic, NSW, Qld)	Weeping small tree to 12m. Suits dry areas, medium to heavy soils. Sun to light shade. Frost and drought hardy.	Attractive specimen tree, also for shade, fodder, windbreak. Small lemon flower balls. Silvery narrow phyllodes. Bird attracting.
* Acacia terminalis MIMOSACEAE ## Sunshine Wattle (NSW, Vic, Tas)	Small open shrub, 1.5-6 x 1-1.5m. Easily grown in most soils. Withstands light frosts.	Pale to bright yellow globular flower heads, autumn to summer. Dark, ferny leaves; ornamental reddish, wrinkled pods.
* Alyogyne huegelii ‘West Coast Gem’ (purple form) Form of <i>A. huegelii</i> . MALVACEAE ## (WA, SA)	Mid-sized spreading shrub 2.5mx2.5m. Prefers a protected full sun position and well-drained soil. Drought hardy and can tolerate light frosts. Prune from young age to promote a dense habit and strong root system.	Flowers deep purple and last 1-2days, providing a constant array of new blooms from spring to late autumn. Performs well in pot on patio.
* Alyxia ruscifolia APOCYNACEAE ## Moonya; Native Holly (Qld, NSW)	Erect shrub to 3mx1.5m. Needs well-composted soil. May be attacked by scale and sooty mould. Frost hardy to –7°C.	Good feature plant, very showy in flower and fruit. Dark green, glossy leaves in whorls. Perfumed white flowers in summer and orange fruit in autumn.
Aotus ericoides FABACEAE Common Aotus (Qld, NSW, Vic, Tas, SA, WA)	Variable small shrub 0.5–1.5mx0.5 –1.5m. Grows in wide range of soils and climatic conditions. Withstands wet soils for extended periods. Full sun preferred. Frost hardy to –7°C.	Yellow and red pea flowers in spring. Dense, narrow leaves. Ornamental when in full bloom. Ideal garden shrub.
Aphanopetalum resinum CUNONIACEAE #-## Gum Vine (Qld, NSW rainforests)	Small shrub in the open or vine in shady site. Needs support to rise above ground level unless rambling habit is preferred. Frost hardy. Best in well-drained soils in moist semi-shade.	Lustrous foliage. Greenish-yellow flowers with four white sepals, from late spring to early summer. Useful foliage plant for shady corners of garden. Responds well to pruning.
Austromyrtus dulcis MYRTACEAE # Midgen Berry (Byron Bay to Fraser Is)	Ground cover to low shrub 0.3-0.6mx1m. Prefers moist, well-mulched soils. Needs some overhead cover from frost. Water in dry spells.	Reddish new growth. Profuse fluffy white flowers summer to mid-autumn. Pale sweet edible berries, about 1 cm diameter, in autumn. Bush Food
Babingtonia ‘Howie’s Sweet Midget’ MYRTACEAE # (Qld)	Small compact plant 1mx1m. Quite drought resistant in cool temperate to tropical regions. Tolerates quite heavy frosts. Light but regular pruning after flowering keeps the plant bushy.	White flowers, 5–6mm across, appear in umbels near the end of branchlets in summer. Suitable for pots and rockeries. Good as architectural feature.
Babingtonia ‘White Cascade’ (<i>B. pluriflora</i>) MYRTACEAE #	Low spreading shrub to 0.5mx1.5m. Pendulous branchlets. Frost hardy to –7°C. Drought resistant.	Attractive coppery coloured new growth. White pendulous flowers in summer and autumn.
Baeckea imbricata MYRTACEAE # (Sthn Tablelands NSW)	Small, erect shrub 0.6mx0.5m. Useful plant for wet situations. Full sun to part shade. Frost hardy to –7°C.	Small linear leaves. Profuse white 4mm flowers Nov-Mar. Prune to shape.

LIST OF MAIN PLANTS AVAILABLE – AUTUMN 2015

*Indicates plants five or fewer in number

GENUS x SPECIES FAMILY/ <i>height code</i> COMMON NAME	SIZE AND GROWING HINTS (size given as height x width)	DESCRIPTION
HEIGHT CODE: #=<1m ## =1–5m. ### =5–12m		
*Baeckea linifolia MYRTACEAE ## Weeping Baeckea, Flax Leaf Heath Myrtle (Qld, NSW, Vic)	Small to medium shrub, 1–3x0.5–2m. Adapts to most situations, more compact in full sun. Drought tolerant but grows well in damp spots. Prune regularly for bushy shape. Frost hardy to –7°C.	Flowers most of year, but especially in summer, white, small but profuse. Leaf tips often bronze or reddish. Weeping habit. Outstanding feature plant. Foliage useful in flower arrangements.
Bossiaea cinerea FABACEAE ## Showy Bossiaea (NSW, Vic, Tas, SA)	Dense small shrub 1–2mx1–2m. Grows in wide range of soil types but prefers fairly well drained soil and dappled shade or part sun. Hardy to light frosts.	Yellow pea flowers with dull red back Aug–Dec. Very ornamental.
Brachyscome ‘Amethyst’ ASTERACEAE # Cut Leaf Daisy	Bushy perennial herb 0.2mx0.4m. Very hardy in most situations but prefers reasonable drainage and full sun. Drought tolerant. Frost hardy to –7°C.	Lavender blue to purple flowers from spring to autumn. Dark green foliage and stems.
Brachyscome ‘Breakoday’ ASTERACEAE # (Qld, NSW, Vic)	Bushy perennial herb to 0.4mxto1m. Very hardy in most situations but prefers reasonable drainage in full sun. Drought tolerant. Frost hardy to –7°C. Prune old stems in early spring.	Bright blue-mauve daisy flowers, 2cm across, most of year - best in spring/summer. Suits baskets, rockery, bedding. Spreads well.
Brachyscome ‘Roulette’ ASTERACEAE #	Bushy perennial herb 0.1–0.4mx0.2–1m. Very hardy. Adaptable but prefers reasonable drainage in full sun. Drought tolerant. Frost hardy to –7°C. Prune old stems in early spring.	Bright blue-mauve daisy flowers most of year, best spring/summer. Rockery or ground cover. Spreads by branching and underground suckers.
Bulbine glauca ASPHODELACEAE # Rock Lily (NSW, Vic, Tas, Qld) Local	Perennial tufted herb 0.5m. Grows in crevices on cliffs. Good drainage in sun or part shade. Dies back in winter.	Long greyish leaves and yellow flowers on stems of 1m in spring.
Callistemon ‘Nabiac Red’ (Form of <i>C. acuminatus</i>) MYRTACEAE ## From Nabiac-Bulahdelah (central NSW coast)	Medium to tall shrub 2-3mx2m, erect habit. Adaptable. Full to part sun, most reasonably drained soils. Frost hardy to -7C. Tolerates dry conditions.	Bright red bottlebrush flowers in spring to early summer. Broad lanceolate leaves with sharp point. Bird attractant. Prune behind flowers for dense appearance.
*Callistemon ‘Tin Sal Glow’ MYRTACEAE ## (Glasshouse mtns. SE Qld)	Open, multi-stemmed shrub with swollen base 3-5mx1.5m. Most reasonably drained soils in full sun. Drought resistant. Fairly frost tolerant.	Glowing pink flower spikes, mainly in spring and autumn - cut off after flowering. Flowers well after rain. Glowing pink new foliage. Cultivar. of <i>C. ‘Glasshouse Country’</i> and <i>C. recurva (Tinaroo)</i> .
*Callistemon montanus MYRTACEAE ## Mountain Bottlebrush (High Mtns Qld/NSW border)	Dense shrub 2.5mx1.5m. Tolerates most soil types and moisture levels. Tolerant of drought, wind and cold. Can be trimmed for size or hedging.	Red flowers 6cmx4cm, mainly late spring, but good summer watering produces flowers. New growth is bright brick red. Good for hedges and attracts birds.
*Callistemon pachyphyllus ‘Smoked Salmon’ MYRTACEAE ##	A selected naturally occurring pink flowered form of <i>C. pachyphyllus</i> . 1.5m H. Tolerates both moist and dry conditions.	Salmon pink to shell pink flowers, 8cm long and 6cm wide, from autumn to early winter.
*Callistemon pearsonii MYRTACEAE # Blackdown Bottlebrush (Blackdown tableland Central Qld.)	Low spreading shrub 1mx1.5m. Well drained soils in full sun. Mulch well. Apply light sprinkle of blood and bone annually. Drought tolerant. Frost hardy to –7°C.	Red flower spikes with golden anthers, late spring and summer. Prune off flowers as they fade. Pink and hairy young growth. Very showy in flower. Good tall groundcover. Could suit large

LIST OF MAIN PLANTS AVAILABLE – AUTUMN 2015

*Indicates plants five or fewer in number

GENUS x SPECIES FAMILY/ <i>height code</i> COMMON NAME	SIZE AND GROWING HINTS (size given as height x width)	DESCRIPTION
HEIGHT CODE: #=<1m ## =1–5m. ### =5–12m		
		container.
Callistemon subulatus MYRTACEAE ## (Dwarf Bottlebrush) (NSW, Vic)	Hardy compact shrub 1.5mx2.5m. Most well-drained soils in sun or part-shade. Prune after flowering. Frost hardy to –7°C.	Very narrow leaves. Crimson brushes well displayed in late spring and summer. Very decorative.
* Callistemon viminalis MYRTACEAE ### Weeping Bottlebrush (E coast from Cape York to NE NSW and W slopes of Great Dividing Range)	Weeping large shrub to small tree to 6m. Best in moist soils in full sun. Borderline for frost tolerance - needs some overhead cover.	Silky new growth. Profuse, long red flower spikes, mainly late spring, attract birds. Outstanding feature plant, popular and widely grown. Useful screen plant, specimen or street tree.
* Calotis lappulacea ASTERACEAE # (Qld, NSW, Vic, SA, WA) Local	Dwarf perennial herb 0.3–0.5mx 0.3–0.5m. Most soils with reasonable drainage in full to part sun. Prune old stems early spring. Frost hardy to –7°C.	Small yellow globular flowers spring to autumn. Lobed, hairy leaves. Seed a sticky, small burr.
Calytrix tetragona MYRTACEAE ## Fringe Myrtle (All States except NT)	Shrub to 1.5mx1.5–2m, variable spread. Reliable in most well-drained soils. Drought tolerant. Responds well to light pruning after flowering. Frost hardy to –7°C.	Bright green, heath-like foliage. White to pink, star-like flowers. Deep red calyces after flowering. Easily grown and very hardy shrub for small garden.
Ceratopetalum gummiferum ‘Wildfire’ CUNONIACEAE ### NSW Christmas Bush	Tall shrub or small tree to 6mx3m. Needs well-drained soil. Sunny position for good flowering. Needs overhead frost protection when young then OK to -4C. Needs daily watering when first planted. . Prune heavily to rejuvenate.	Large red bracts appear after flowering in early summer. Good cut flower. Green, trifoliolate, toothed & whorled leaves. Moderately compact and suitable for large containers
* Chamelaucium ‘Murfit Rose’ (<i>C. uncinatum</i>) MYRTACEAE ## Geraldton Wax (WA)	Small, fast-growing open shrub to 3mx4m. Perfect drainage essential, sandy soil preferred. Full sun for massed flowering. Give some overhead cover against frost.	Variable colour from white to deep purple waxy flowers in spring. Long lasting cut flower. Prune after flowering to maintain density and increase flower display. Excellent cut flower.
Chenopodium parabolicum CHENOPODIACEAE ## Fragrant Saltbush (NSW, Qld, Vic, SA, NT)	Grey shrub 1–2mx1.5–2.5m. Male and female plants. Sunny, well-drained soil. Hardy to most frosts and withstands extended dry periods.	Grey-green leaves, often reddish tonings, mealy with shiny hairs. Terminal flower panicles 5–15cm long. Reddish berries. Responds well to regular pruning. Suitable for hedging.
Correa ‘Bett’s Red’ RUTACEAE ##	Large open shrub 1.5mx2m. Hybrid between <i>C. mannii</i> and red flowering form of <i>C. reflexa</i> . Full sun to semi-shade. Frost tolerant. Benefits from pruning.	Deep pink, tubular flowers, paler at tips from Mar-Oct. Upper surface of leaves is rough and underside rusty to light green. One of the deepest red-pink correas.
Correa ‘Dusky Bells’ RUTACEAE # (SA, Vic, Tas, NSW)	Hardy, spreading shrub 0.3–1x2–4m. Excellent vigorous ground cover. Suits heavy clay soils, moist or dry conditions, full sun or shade. Frost hardy to –7°C.	Profuse pink flowers, winter. Can be pruned hard. Attracts birds. Cultivar of <i>C. reflexa</i> .
Correa ‘Ivory Bells’ RUTACEAE ##	Dense shrub to 1.5mx2m. Hardy in moist reasonably drained soils, in a protected situation. Frost hardy to –7°C.	Profuse cream bells. Long flowering. Attracts birds. Mulch well to protect roots from heat. Prune regularly.
Correa ‘Marian’s Marvel’ RUTACEAE ## (<i>C. backhouseana</i> x <i>C. reflexa</i>)	Hardy shrub 1–5mx1.5–3m Very adaptable to relatively well-drained soils. Frost hardy to –7°C.	Flowers 3 cmx1.5 cm, pale pink upper half, pale green lower half, spreading lobes, mainly Feb–Oct. Suitable hedge

LIST OF MAIN PLANTS AVAILABLE – AUTUMN 2015

*Indicates plants five or fewer in number

GENUS x SPECIES FAMILY/ <i>height code</i> COMMON NAME	SIZE AND GROWING HINTS (size given as height x width)	DESCRIPTION
HEIGHT CODE: #=<1m ## =1–5m. ### =5–12m		
		or screening plant.
Correa bauerlenii RUTACEAE ## Chef's Cap Correa	Bushy shrub 1–2mx1–2m. Moist well drained soils in full or filtered sun. Will accept short periods of dryness. Frost hardy to –7°C.	Shiny leaves, green bell flowers autumn, winter, spring. Attracts birds.
Crowea 'Cooper's Hybrid' RUTACEAE ## (<i>C. exalata</i> x <i>C. saligna</i>) (NSW)	Dense shrub with erect habit 1.5mx1m. Well-drained soils. Moderately drought hardy. Frost hardy to –7°C.	Deep pink, 3 cm diameter flowers Nov–May. Glossy dark green leaves. Good, long-lasting cut flower. Prune to promote dense growth.
Crowea 'Pink Blush' (form of <i>C. exalata</i>) RUTACEAE #	Small to medium shrub 1mx1.2m. Most well-drained soils. Prefers dappled shade or partial sun. Frost hardy to –7°C.	Pink buds open white and tinge to pink with age, flowers spring-autumn. Long lasting as cut flowers. Ideal for gardens or containers and as cut flower.
Crowea 'Festival' RUTACEAE # (<i>C. exaltata</i> x <i>C. saligna</i>)	Showy dense shrub to 1mx1m. Hardy. Well drained, mulched site; part shade to full sun. Responds to heavy pruning. Frost hardy to –7°C.	Star like 5-petalled pink flowers through autumn and summer. Useful cut flower.
Crowea 'Poorinda Ecstasy' RUTACEAE # (? <i>saligna/exalata</i> hybrid)	Hardy small shrub 1mx1m. Well-drained soil with partial sun or dappled shade.	Pale pink, 2.5cm diameter flowers in leaf axils, Dec.-May. Light prune after flowering.
Crowea exalata 'Southern Stars' RUTACEAE # (A form of <i>Crowea exalata</i>) (NSW, Vic)	Rounded shrub to 0.7m. Well-drained, mulched soil. Full sun to part shade. Frost hardy to –7°C.	Outstanding ornamental form. Good cut flower with extended flowering season. Prune lightly after flowering flush. Excellent for pot culture.
*Elaeocarpus reticulatus 'Prima Donna' (Pink form) ELAEOCARPACEAE ### Blueberry Ash (NSW, Sthn Qld)	Small to medium sized tree 10-15m, usually smaller in gardens. Makes a fine specimen in a large pot. Will withstand some frost. Enjoys some shade, but not essential. Best when well watered.	Leaves to 12cm. Profuse, fringed, pink bell-shaped flowers in spring. Blue olive-like fruits to 1cm in diameter. Blossoms used in wedding bouquets. Form of <i>E. reticulatus</i> .
Eucalyptus caesia ssp. magna MYRTACEAE ###-### Silver Princess (WA)	Tall mallee shrub/small tree up to 10x8m. Well-drained sandy soil or clay loam, acid to slightly alkaline. Full sun. Drought tolerant Withstands light to moderate frost but protect in 1st year. Prune excess foliage to prevent wind damage	Flowers pendulous red. Decorative old bark. Interesting fruit. White bloom on stalks and trunk. Excellent garden specimen. Regrowth from lignotuber if damaged at ground level. Do not overwater during Canberra winter.
Eucalyptus risdonii MYRTACEAE ##-### (Tas)	Medium mallee shrub to medium tree 3-20mx5-15m. Adaptable to all but alkaline soils. Tolerant of most frosts and light snowfalls. Coppicing can be used to promote bushier growth.	1.5cm diameter white to cream flowers, profuse and well-displayed from Oct to Dec. Popular in cultivation because of its juvenile foliage, its flowers and smooth bark.
*Grevillea 'Wakiti Gem' PROTEACEAE # (Vic)	Dense, prostrate plant up to 2.5m across. Requires full sun. Is frost hardy and drought tolerant. Attracts bees.	Assumed hybrid between <i>G. tetragonoloba</i> and <i>G. gaudichaudii</i> . Useful groundcover with deeply divided leaves. Flowers are claret coloured and born at the end of the branches.
Grevillea 'Waverley Ghost' PROTEACEAE #-##	Dense bushy shrub 0.6–1mx1.5–2m. Drought resistant and frost hardy. Adaptable to a variety of soil conditions. Full sun or semi-shaded.	Pink flowers. Irregular variegated foliage.
Grevillea confertifolia	Hardy, dwarf to small shrub 0.2mx1–2m. Well-	Suitable container plant. Slightly

LIST OF MAIN PLANTS AVAILABLE – AUTUMN 2015

*Indicates plants five or fewer in number

GENUS x SPECIES FAMILY/ <i>height code</i> COMMON NAME	SIZE AND GROWING HINTS (size given as height x width)	DESCRIPTION
HEIGHT CODE: #=<1m ## =1–5m. ### =5–12m		
(prostrate form) PROTEACEAE # Grampians Grevillea (Vic—Grampians Ra high altitudes)	drained, sunny position with ample moisture most suitable. Nitrogenous fertilizer early spring/late summer. Frost hardy to –7°C.	pendulous, dense racemes of terminal mauve-pink spider flowers Sep–Oct. Deep green foliage. Bird attracting. Useful rockery/ground cover.
Grevillea corrugata PROTEACEAE ## Bindoon in SW of WA	Compact shrub 1.5mx2.5m. Full to part sun, most soils. Tolerant of light frosts.	White to cream open flowers in late winter to early spring. Deeply lobed leaves. Informal hedge, barrier, border; nectar, habitat, bee attracting. Can be pruned.
Grevillea ‘Red Wings’ PROTEACEAE ## (WA)	Low growing shrub 1.5mx1m. Hardy in most well-drained soils in full sun. Form of <i>G. thelemaniana</i> . Frost tolerance uncertain.	Clusters of bright red spider flowers from late winter to early spring. Dainty grey-green leaves. Nectar-rich flowers are pollinated by insects, birds and animals.
Gynatrix pulchella MALVACEAE ## Hemp Bush (NSW, Vic, Tas, ?SA)	Medium to tall shrub 2.5mx1.5-3.5m. Needs free draining soils. Will grow in shady areas or full sun. Frost hardy to –7°C. Responds to light pruning to prevent becoming straggly.	Profuse panicles of white, perfumed flowers. Male and female plants, but the male is more showy. Lanceolate leaves, toothed, glabrous on top and hairy underneath.
Hardenbergia comptoniana FABACEAE ## Native Wisteria (WA)	Vigorous climber or ground cover. Grows well in any well drained soil type, including limestone. Frost tolerant.	Masses of deep blue to violet flowers in spring. Effective, dense ground cover. Ideal for trellis or small pergola. Widely cultivated.
Hibbertia pedunculata DILLENIACEAE # (Sth Tablelands NSW)	Semi-prostrate to 0.2mx1m. Tends to root at nodes. Soil should be kept moist but not too wet. Part sun. Responds well to pruning. Frost hardy to –7°C.	Small, dark green leaves. Profuse bright yellow flowers on long peduncles, Aug–Mar. Excellent garden plant and useful in containers. Good on banks. Good weed suppressor.
* Hibbertia scandens DILLENIACEAE # Climbing Guinea Flower, Golden Guinea Vine, Snake Vine (SE NSW to mid NE Qld)	Fairly vigorous and scrambling vine 2-5m long. Will grow in semi-shade, but best in full sun. Prefers reasonable drainage and tolerates wide climate range and salt-laden winds.	Large yellow flowers (5-7cm) throughout the year but mainly late spring and summer. Flowers are short lived but produced over long period. Excellent screening plant on walls and fences, or as a scrambler among established plants (can smother small ones).
Howittia trilocularis MALVACEAE ## (Shaded gullies NSW and Vic)	Erect shrub 3mx1.5m. Prefers well drained shaded areas. Tends to become woody with sparse foliage in full sun. Frost hardy to –7°C.	3cm violet hibiscus-like flowers late winter/early spring. Hairy leaves. Hardy, long-flowering species.
Isopogon anemonifolius ‘Little Drumsticks’ PROTEACEAE #	Dwarf compact shrub, 0.65mx0.8m. Full sun. Most well drained loamy to sandy soils. Hardy to most frosts and drought tolerant. Prune spent flowers.	Showy soft yellow flowers in winter to spring. Deeply lobed leaves. Good cut flower and container plant. Attractive cones after flowers.
Kennedia coccinea FABACEAE # Coral vine (WA)	Very showy ground cover or climber to 2mW. Needs well-drained position in sun or part shade.	Masses of orange-pea flowers in spring. Grows well in baskets, pots or over a trellis.
Kunzea “Badja Carpet” MYRTACEAE # (Big Badja Hill, NE of Cooma)	Groundcover shrub 0.5mx2m. Performs well in Canberra in most soils, prefers full sun. Frost hardy to –7°C. Hardy in hot dry areas.	Masses of white fluffy flowers in summer. Prune to shape after flowering. Excellent ground cover, cascades over banks and walls.

LIST OF MAIN PLANTS AVAILABLE – AUTUMN 2015

*Indicates plants five or fewer in number

GENUS x SPECIES FAMILY/ <i>height code</i> COMMON NAME	SIZE AND GROWING HINTS (size given as height x width)	DESCRIPTION
HEIGHT CODE: #=<1m ## =1–5m. ### =5–12m		
*Kunzea bracteolata MYRTACEAE ## Stiff Kunzea (Qld/NSW border)	Erect shrub 1.5mx1m. Neat foliage. Most soils suitable. Flowers best in full sun. Comes from granite hills, often in crevices. Frost hardy.	Cream, terminal flowers with prominent stamens spring and early summer. Attracts insects, and birds.
*Leonema ambiens RUTACEAE ## (syn.Phebalium ambiens) Forest Phebalium	Erect shrub to 2.5mx1m. One of the hardiest species. Requires well-drained acidic soils, some shade and a mulch to ensure a cool root run. Frost tolerant.	Handsome, distinctive, quick growing. Unusual stem-clasping elliptical leaves. Heads of white flowers in spring and summer.
Leptorhynchos nitidulus ASTERACEAE # (NSW, Vic, Tas)	Slender stoloniferous herb with a basal tuft of leaves 0.2mx0.4m. Adapts to most well-drained soils. Tolerates full sun, semi-shade or dappled shade. Frost hardy to -7°C. Prune hard to rejuvenate.	Compound yellow head on stalk 2-8cm long, summer to autumn. Prune off old flower-heads. Leaves linear, 2-4 cm long, 1-2mm wide; dull green, glabrous except when young and then sparsely cobwebby. Good ground cover.
Leptospermum ‘Copper Glow’ (<i>form of L. polygalifolium</i>) MYRTACEAE ## (NSW)	Moderately open shrub to 3mx2m. Most soils and aspects suitable but prefers moist soils. Frost hardy to -7°C.	Bronze tipped narrow leaves. Small white flowers. Distinctive dark foliage. Good screen plant.
Leptospermum ‘Julie Ann’ MYRTACEAE # Tea Tree (NSW)	Prostrate shrub 0.3mx1-2m. Full sun to part shade in moist well-drained soil. Withstands dry periods. Frost hardy.	Pale mauve flowers Oct-Dec. Responds well to pruning. A good cut flower. Cultivar of <i>L. rotundifolium</i> .
Leptospermum ‘Pink Cascade’ MYRTACEAE #	Prostrate shrub 0.8mx1m. Prefers well-drained soils with dappled shade but not fussy. Flowers better with full sun. Appreciates little extra water in hot summers. Frost and drought tolerant.	Profuse, pink flowers 15mm in diameter spring to early summer. Young growth bright red. Prune only to keep in shape. Control webbing caterpillars with Dipel.
Leptospermum rotundifolium MYRTACEAE ## Round leaf Tea-tree (Sthn Tablelands NSW)	Hardy open shrub 2mx1.5m. Most reasonably drained soils. Grows rapidly. Prune lightly after flowering. Frost hardy to -7°C.	White to deep pink flowers spring–summer. Shiny round leaves. Screen or feature plant.
Leptospermum spectabile ‘Aphrodite’ MYRTACEAE ## (Colo River NSW)	Small to medium shrub 3mx3m. Full sun to partial shade with moist soil. Tolerates severe pruning.	2cm pink flowers with green centre. Woody fruits remain on plant. Bred by Peter Ollerenshaw. PBR has recently expired.
Leucophyta brownii ASTERACEAE # (Vic, Tas, SA, WA)	Dwarf shrub with silvery-hairy new growth 0.2-1mx0.5-1.5m. Adapted to a wide range of well-drained soils. Prefers sun. Tolerates frost and drought but dislikes warm to hot humid conditions.	Globular cream flower-heads. Branches silvery; leaves scale like. Good for exposed coastal sites. Ornamental foliage. Responds well to pruning.
Leucophyta brownii ‘Cape Le Grande’ ASTERACEAE # Cushion Bush (Exposed coastal sites, Sthn Aust)	Shrub to 0.2–1mx0.5–1.5m. For warm airy site. Dislikes hot humid conditions. Drought hardy and frost hardy to -7°C.	Grown for silvery foliage. Small terminal yellow flowers spring/summer. Prune often. Overwatering can cause death.
*Lotus australis FABACEAE # Australian Trefoil All States Local	Rounded shrub 50 cm diameter. Full sun to part shade. Adaptable to most soils with reasonable drainage. Frost hardy to -7C. Tolerates dry periods; appreciates water during dry periods.	Pink/white pea flowers in spring. Showy in flower. Potential as a container plant. Dies back over winter.

LIST OF MAIN PLANTS AVAILABLE – AUTUMN 2015

*Indicates plants five or fewer in number

GENUS x SPECIES FAMILY/ <i>height code</i> COMMON NAME	SIZE AND GROWING HINTS (size given as height x width)	DESCRIPTION
HEIGHT CODE: #=<1m ## =1–5m. ### =5–12m		
* Melaleuca ‘Payne’s Hybrid’ <i>(M. steedmanii x fulgens)</i> [Present revision prefers <i>M. fulgens</i>] MYRTACEAE ## (WA)	Woody erect shrub 1-3mx1-2m. Prefers sunny position in light soil with very good drainage. Needs overhead cover as is susceptible to very heavy frosts. Needs some extra water in very dry periods.	Flowers in lateral spikes, brilliant red but there are also apricot and pink forms - Sept. to Oct.
Melaleuca erubescens MYRTACEAE ## (NSW slopes, Qld)	Erect shrub 1-2mx1-3m. Hardy in most soils and aspects. Regular pruning recommended. May need supplementary watering in dry periods. Frost hardy to -7°C.	Attractive, crowded small spikes of mauve flowers to 4 cm Aug–Jan. Linear dark green leaves. Good screen or hedge plant. Good for bees.
* Melaleuca fulgens MYRTACEAE ## (WA)	Rounded shrub 1.5mx1.5m. Requires full sun, excellent drainage. Hardy to moderate frosts (some overhead cover) and extended dry periods. Responds well to supplementary watering.	Leaves are narrow-elliptical to 3cm, with recurved margins. Hot pink bottlebrush-like flowers with golden anthers in spring and early summer. Tip prune from an early stage to keep dense.
* Melaleuca linariifolia ‘Seafoam’ MYRTACEAE ## Snow-in-summer (SE Qld to SE NSW, central Qld)	Medium to large shrub 2.5mx2m but may be taller. Suits most climates and soils; withstands poor drainage.	Very showy, fluffy, white flowers cover the plant in spring and summer. Prune to shape. Will not flower in dry conditions.
* Melaleuca spathulata MYRTACEAE ## (WA)	Small to medium compact shrub, 1.5mx1m. Frost hardy, well-drained sunny position. Responds to hard pruning. Withstands dry periods but likes supplementary water.	Flowers in profuse mauve terminal clusters, Sept–Nov, also sporadic throughout year. Hedging and general planting. Suitable coast and inland.
Micromyrtus ciliata MYRTACEAE # - ## Fringed Heath Myrtle (Vic, NSW, SA, ACT) Local	Varies from prostrate to upright 0.3-1.2mx0.2-3m. Growth is dense and stiff in sunny position. Prefer light well-drained soil, free from lime. Withstands drought after establishment. Frost hardy.	Flowers pink in bud, opening to white and ageing to red, in late winter. Small dark green, conifer-like leaves; aromatic when bruised. Excellent cut-flower which can also be dried.
Myoporum ‘Monaro Marvel’ MYOPORACEAE # Local hybrid	Hardy open shrub 1mx1m. Most reasonably drained soils in full sun or part shade. Frost hardy to -7°C.	Pink buds and small white flowers, ageing to red. Attractive plant.
* Myoporum bateae MYOPORACEAE ## (NSW)	Open shrub to 3m high. Can take heavy shade but also grows satisfactorily in more exposed sites. Needs reasonable drainage. Frost hardy to -7°C.	Pale mauve flowers about 6mm diameter in spring and summer. Leaves are finely toothed, linear to elliptical. Young growth is sticky and fragrant.
Olearia algida ASTERACEAE # Mountain Daisy Bush (NSW, ACT and Tas.)	Small shrub 0.5-1mx0.5m. Likes moist, shady aspect in most soils. From sub-alpine and alpine areas. Frost hardy.	Daisy flowers with conspicuous white florets around cream disc in dense clusters on leafy branchlets.
* Olearia argophylla ASTERACEAE ## ### Grows Locally	Tall shrub/small tree 3–10mx2m. Fast growing in well composted soils. Plenty of moisture but good drainage. Good plant for shady position. Frost hardy to -7°C.	Cream daisy flowers in terminal clusters mid-spring to early summer. Toothed leaves to 15cm, silvery on the underside.
Olearia microphylla ASTERACEAE ## Local	Hardy shrub to 2mx1.5m. Open sunny spot in most well-drained soils. Tip prune after flowering to keep bushy. Frost hardy to -7°C.	Masses of white daisy flowers in spring. Often regenerates from seed. Suitable for cottage gardens
Olearia phlogopappa	Small shrub 1–2.5mx1–2.5m. Semi-shaded site	Massed white daisy flowers in spring.

LIST OF MAIN PLANTS AVAILABLE – AUTUMN 2015

*Indicates plants five or fewer in number

GENUS x SPECIES FAMILY/ <i>height code</i> COMMON NAME	SIZE AND GROWING HINTS (size given as height x width)	DESCRIPTION
HEIGHT CODE: #=<1m ## =1–5m. ### =5–12m		
(White form) ASTERACEAE ## (NSW, Vic, Tas) Local	with freely draining, acidic soil. Needs regular watering. Frost hardy to –7°C. Pruning recommended for bushy growth.	Grey-green leaves. Easily grown; quick growing; very hardy. Can be long lived, if it receives enough moisture.
* Olearia phlogopappa (Pink form) ASTERACEAE ##	Small shrub 1–2.5m x 1–2.5m. Semi-shaded site with freely draining, acidic soil. Needs regular watering. Frost hardy to –7°C. Pruning recommended for bushy growth.	Massed pink, daisy flowers in spring. Grey-green leaves. Easily grown; quick growing; very hardy. Can be long lived, if it receives enough moisture.
Orthrosanthus multiflorus IRIDACEAE # (WA, SA, Vic))	Hardy, iris-like plant to 0.4m. Full sun to part-shade, reasonable drainage. Frost hardy to –7°C.	Many spikes of blue flowers on tall flower stems in spring. Good rockery plant.
Oxylobium ellipticum FABACEAE ## Golden, or Common Shaggy Pea (NSW, Qld, Vic, Tas) Local	Shrub to 2m. Grows in wet scrub in subalpine and sometimes alpine woodlands. Likes full sun but tolerates some shade. Frost hardy. Mulch to maintain cool root run.	Clusters of golden pea flowers in early spring and summer. Tip prune to maintain shape.
Pelargonium rodneyanum GERANIACEAE # (SA, NSW, Vic)	Beautiful, hardy perennial 0.3m x 0.5m. Roots develop tubers. Most sunny or part-shaded well-drained, acidic soils. Reduce water in winter. Semi-drought tolerant. Prune hard during winter. Frost hardy to –7°C.	Magenta flowers borne above leaves May–Sept. Appreciates some moisture in summer and autumn. May self-seed. Rockery or groundcover plant. Easy removal prevents it becoming invasive.
* Persoonia chamaepeuce PROTEACEAE # Dwarf Geebung (NSW, Vic) Local	Prostrate shrub 0.3m x 1.2m. Full sun in well-drained soil. Frost hardy to –7°C.	Linear glabrous leaves to 2.5cm long. Small yellow flowers near ends of branches, summer to autumn. Flowers pollinated by native bees.
Phebalium squamulosum ssp. argenteum RUTACEAE ## Scaly Phebalium	Moderate shrub 2mH. Well-drained soil, some shade and a mulch to ensure cool root run. Frost hardy to –7°C.	White flowers in attractive and profuse few-flowered cymes, Aug–Nov. Leaves 1–3cm long, narrow, green above, silver grey hairs and brownish scales underneath.
* Philotheca ‘Poorinda’ RUTACEAE ## Possibly cross between form of <i>P.myoporoides</i> and <i>P. verrucosa</i>	Small to medium shrub 1.5m x 0.8m. Full sun to dappled shade in most soils. Frost and drought hardy.	Bright pink buds opening to white with a pink tinge. Flowers from spring to summer.
* Philotheca myoporoides ssp. acuta (was <i>Eriostemon</i>) RUTACEAE ## Central NSW	Shrub 1.5–5m x 1.5–3m. Good drainage, mulch, dappled shade. Tolerates semi- to full-sun, frost hardy, adaptable. Prune after flowering	Pink buds, white starry flowers, solitary and/or clustered. Showy.
* Philotheca myoporoides ssp. myoporoides RUTACEAE ## Wax flower (Vic, NSW, Qld, ACT)	Shrub 1–2m high. Can grow in shade. Drought hardy once established. Can be affected by sooty mould.	Flowers mainly spring and autumn. Dark green leaves are faintly warty and aromatic.
* Pittosporum bicolor PITTOSPORACEAE ## Banyalla (Tas to sthn NSW)	Shrub or small tree 4–5m x 4–5m, depending on location. Very stiff erect habit. Prefers shaded location in well composted soil, with ample moisture. Frost tolerant. Slow growing.	Sweet smelling flowers. Male and female flowers on different trees. Suitable for hedge, topiary and Christmas trees.
Podolepis jaceoides ASTERACEAE # Showy Copper-wire Daisy	Herbaceous sub-shrub with perennial rootstock and hairy young growth, 0.3–0.8m x 0.3–0.7m. Suits reasonably drained light to heavy soil, full	Very conspicuous daisy-like, yellow flowers with frilly edges Oct–Feb. Basal rosette of green leaves dies back

LIST OF MAIN PLANTS AVAILABLE – AUTUMN 2015

*Indicates plants five or fewer in number

GENUS x SPECIES FAMILY/ <i>height code</i> COMMON NAME	SIZE AND GROWING HINTS (size given as height x width)	DESCRIPTION
HEIGHT CODE: #=<1m ## =1–5m. ### =5–12m		
(Local, Qld, NSW, Vic, Tas, SA)]	to part sun. Tolerates extended dry periods. Frost hardy to –7°C. Remove dead flower heads.	in winter. Feature plant. Good for borders, containers and floral bedding displays. Protect from slugs and snails.
* Polyscias sambucifolia (fine leaf form) ARALIACEAE ## (coastal ranges NSW, Vic)	Shrub 3mx5m. Needs some shade. Regular weekly watering over summer. Can stand wet soils for some time but prefers mulched, well-drained soils. Frost hardy to –4°C.	Almost invisible yellow-green flowers followed by clusters of attractive pale lavender berries. Grown for ferny foliage. Prune branches off if affected by borers or gum.
* Pomaderris apetala RHAMNACEAE ### - #### Dogwood or Native Hazel Tree (Tas)	Small tree, 3–15mx4m. Does best in moist, well-drained acidic soils with semi-shade to full sun. Frost hardy to –7°C. Fine-grained timber.	Flowers cream in tight small clusters; persistent bracts; narrow or absent petals. Late spring to early summer. Edible nuts. Bush Food
* Pomaderris elliptica RHAMNACEAE ## (NSW, Vic, Tas)	Erect shrub to 3mx2m. Leaves to 10cm. Prefers good drainage and full sun. Frost hardy to –7°C.	Yellow flowers in large heads in spring. Very showy in flower, pleasant foliage. Can be attacked by borers.
Pomaderris eriocephala RHAMNACEAE ## (NSW, Vic)	Spreading, woody shrub 1-3m. Hardy with good drainage and full to part shade. Food plant for some Lepidoptera.	Flowers pale, sessile in small, tight clusters; persistent bracts; narrow or absent petals; Sept.-October.
* Pomaderris obcordata RHAMNACEAE # - ## Wedge-leaved Pomaderris (Vic, SA)	Dwarf to medium shrub 0.3–3mx0.5–2m. Needs excellent drainage and semi-shade or full sun. Hardy to moderately heavy frost and extended dry periods. Responds very well to pruning.	Very ornamental. Small white to pink flowers in tight terminal clusters, often profuse and conspicuous Jul–Sept. Densely greyish-hairy young growth.
Prostanthera ‘Kallista Pink’ LAMIACEAE ##	Fast growing, tall, open shrub 4-5mx3m. Tolerates heavy shade or full sun.	Naturally occurring form of <i>P. lasianthos</i> from Dandenong Ra in Victoria. Deep clear pink flowers borne in profusion in summer.
* Prostanthera cruciflora LAMIACEAE # (NSW)	Rounded, compact shrub 1mx0.6m. Prefers relatively dry conditions. Frost hardy to –7°C.	Clusters of white to pale mauve flowers in spring. Pale greyish-green leaves.
* Prostanthera phyllicifolia LAMIACEAE ## Spiked Mint Bush (Qld, NSW, Vic)	Dwarf to medium somewhat erect shrub 0.6-2.5mx0.6-2m. Moist soils, free or moderate drainage with some overhead protection from hot sun. Frost hardy to –7°C.	Small deep green narrow leaves. Flowers white or pale violet with deep purple spots in throat in spring; often profuse and conspicuous; sweetly fragrant. Prune to promote foliage. Excellent for screening.
* Rulingia hermanniifolia STERCULIACEAE # (Sth Coast NSW)	Good groundcover 0.2mx1m. Dry or moist well-drained soils in sun or part-shade. Good on banks or rockery. Frost hardy to –7°C.	Soft wrinkled leaves 2cm long. Small white, star-shaped flowers, with maroon markings at bottom of petals, in spring. Prominent, bristly brown fruits are used in dried flower arrangements.
Scaevola ‘Mauve Clusters’ (form of <i>S. aemula</i>) GOODENIACEAE #	Prostrate, suckering plant 0.2mx1m. Moist, well-drained position, full or part sun. Mulch well. Frost hardy to –7°C.	Fragrant mauve fan flowers, spring-autumn. Dense, crowded bright green leaves. Good cut flower.
Scaevola albida GOODENIACEAE # Pale Fan Flower (SA, Vic, NSW, Qld)	Mostly prostrate, perennial herb forming a dense mat to 50cm high. Moist well-drained position. Full to part sun. Frost hardy to –7°C.	Mauve fan-shaped flowers Aug to Oct. Spreads vegetatively by root suckers. Benefits from pruning. Good rockery plant.
Spyridium scortechinii (syn. <i>Cryptandra scortechinii</i>)	Rounded shrub to 0.7mx0.7m. Well-drained soil in full sun or half shade most suitable. Drought	Woolly heads of white flowers with shiny brown bracts in winter-spring.

LIST OF MAIN PLANTS AVAILABLE – AUTUMN 2015

*Indicates plants five or fewer in number

GENUS x SPECIES FAMILY/ <i>height code</i> COMMON NAME	SIZE AND GROWING HINTS (size given as height x width)	DESCRIPTION
HEIGHT CODE: #=<1m ## =1–5m. ### =5–12m		
RHAMNACEAE # (NSW, Qld)	and frost hardy to -7°C.	May be used as a cut flower.
Swainsona galegifolia FABACEAE # Darling Pea (Vic, NSW, Qld)	Relatively open, perennial bush 1m x 0.5m. Prefers well drained soils, but Canberra clay OK. Survives in Canberra with frosted tips. Cut back old stems when new growth appears in spring.	Mauve pea flowers from late spring to first frosts. Balloon like pods usually green, but can turn pink from cold. This clone is true to colour from seed.
*Telopea “Braidwood Brilliant” (T. speciosissima x T. mongaensis) PROTEACEAE ##	Upright shrub 1.5-2m x 1-2m. Prefers well-drained sandy soil. In heavier soils plant in beds raised to 30cm. Mulch well. Apply low phosphorus fertiliser in spring. Frost hardy to -7°C.	Brilliant red globular flowers late Oct-early Nov. Prune after flowering. Try in large container.
Telopea ‘Canberry Gem’ PROTEACEAE ## Waratah (Central southern tablelands NSW)	Upright shrub 2-3m x 1-2m. Grows in sunny or light shade. Needs well drained, sandy, acidic, low phosphorus soils with assured moisture. Sunny or lightly shaded site. Tolerates moderate frost.	Large bright red 15cm flowers. Large leathery leaves.
Telopea truncata PROTEACEAE ### Tasmanian Waratah	Stout upright shrub or small tree 3–4m x 1–2m. Prefers moist, well drained gravel in full sun. Frost tolerant.	Terminal red clusters consisting of 15-20 florets.
Tetragona tetragonoides AIZOACEAE # Warrigal Greens (Widespread in Aust and NZ)	Prostrate, spreading annual or short lived perennial 0.2m x 0.6-2m. Moist, reasonably drained soils in sun or partial shade. Agricultural weed in Qld.	Small greenish yellow flowers at leaf bases most of year. Leaves oval or diamond shaped, 75-100mm long. Blanch before eating to leach out oxalic acid. BUSH FOOD
Tetralochea ciliata (white form) TREMADRACEAE # Black-eyed Susan or Pink Bells (NSW, Vic, Tas, SA)	Variable dwarf shrub to 50cm. Needs well-drained soil and protection from full sun. Tolerates moderate frosts.	Perfumed white flowers from spring to summer. Suitable for rockery or pot.
*Tetralochea thymifolia (White form) TREMADRACEAE #	Small shrub 0.5m H. Grow in a well drained position with ample water and shelter from direct summer sun.	Flowers white occurring singularly on long thin stalks, hanging like bells, from late winter through spring.
Thomasia paniculata STERCULIACEAE #-## (South West WA)	Dwarf to small shrub 0.6–2m x 0.5-2m. Prefers well drained soil that can retain some moisture in semi-shaded site. Will tolerate light frost.	Pinkish mauve to purple flowers. Racemes to 8cm long. Floriferous and long flowering from Sept–Mar. Pruning when young promotes branching.
Thryptomene saxicola ‘Pink Lace’ MYRTACEAE # (WA)	Small open, slightly pendulous shrub 1m x 1.5m. Adaptable and thrives in most well-drained positions. Mulch well. Requires frost protection beyond -5C.	Tiny deep pink flowers in profusion in winter and spring. Excellent cut flower. Prune after flowering. Form of <i>T. saxicola</i> .
Thryptomene sp. MYRTACEAE #	Spreading shrub to 0.5m. Tolerates slightly alkaline but prefers neutral to acid well-drained soils. Frost tolerant. Fertilise in spring to encourage new growth.	Masses of tiny pale pink flowers, mainly winter through spring. Good cut flower. Prune after flowering.
*Viola hederacea (dark form) VIOLACEAE # Native Violet	Small mat-forming groundcover. Prefers damp spot in sun or full shade. Dies back in winter. Frost hardy to -7°C.	White and purple flowers most of year. Good for rockery or hanging basket.

LIST OF MAIN PLANTS AVAILABLE – AUTUMN 2015

*Indicates plants five or fewer in number

GENUS x SPECIES FAMILY/ <i>height code</i> COMMON NAME	SIZE AND GROWING HINTS (size given as height x width)	DESCRIPTION
HEIGHT CODE: #=<1m ## =1–5m. ### =5–12m		
(NSW, Vic, TAS, SA) Local		
Westringia ‘Blue Heaven’ LAMIACEAE ##	Dense medium shrub 1.5–2mx1.5–2m. Prefers sunny position but shade tolerant. Prune regularly to maintain dense habit and prolific flowering.	Pale blue flowers most of year. Suitable for small, informal hedges, tubs.
Westringia ‘Wandin Gem’ LAMIACEAE ## (NSW)	Large shrub 2mx2m. Prefers part to full sun position in a general soil. Frost hardy –7°C. Can be pruned to make bushy and control size.	Mauve flowers, which occur all year. Grey/green foliage, linear leaves, open appearance.
Westringia glabra (Compact form) LAMIACEAE # Violet Westringia (Qld, NSW, Vic)	Dwarf to small bushy shrub 0.5-1.3mx1-2m. Most well-drained acidic soils in part shade. Good under eucalypts. Drought and frost hardy to –7°C.	Attractive green elliptical leaves in whorls with bluish-mauve flowers in spring.
*Xanthorrhoea preissii XANTHORRHOEACEAE ## Grass-tree, Blackboy, Balga (WA)	Medium to tall tree-like perennial trunk 2.5-5mx1.2-2m, sometimes branching, with hemispherical crown(s). Freely draining acidic soil in sunny or slightly shaded position. Tolerates light frosts.	White to cream flowers on spikes 1.5-3mx2-3cm. Jan.-Nov. One of the most commonly cultivated W.A. species and adapts well to temperate and subtropical regions.
Xerochrysum bracteatum ASTERACEAE # Straw Flower	Annual daisy 0.3-1mx0.6-0.8m. Very hardy in sunny situations with moist well-drained soil.	Showy everlasting flowers of white, cream, gold, pink or bronze red in spring and summer. Self-seeds readily.
*Ziera smithii x Z. cytisoides RUTACEAE ## (Qld, NSW, Vic)	Small to medium shrub 1mx1m. Well-drained acidic soil in fairly sunny to semi-shaded position. Withstands moderate frost to –7°C..	Profuse pinkish flowers in spring. Trifoliate glabrous aromatic leaves. Adapts well to cultivation and responds to hard pruning.