*Indicates plants five or fewer in number SIZE AND GROWING HINTS

GENUS x SPECIES SIZE AND GROWING HINTS DESCRIPTION		
		DESCRIPTION
FAMILY/ height code	(size given as height x width)	
COMMON NAME	EXCEPT CODE II 4	
Н	EIGHT CODE: #=<1m ## =1-5m. ### =	=5-12m
Acacia buxifolia ssp buxifolia	Hardy shrub 1–2mx1–2m. Most well to	Greyish foliage and bright yellow
MIMOSACEAE ##	reasonably drained soils in full to part sun.	flowers in spring.
(Qld, NSW, Vic) Local	Prefers wind protection. Frost hardy to -7° C.	
Acacia cognata 'Green Mist'	A spreading, weeping, prostrate shrub, 1mx2m.	Sprays of pale yellow, fluffy ball
MIMOSACEAE #	Full sun to part shade. Most soils with	flowers in spring. Narrow, lime green
	reasonable drainage. Drought tolerant and hardy	leaves. Feature plant. Informal hedge.
	to most frosts.	
*Acacia flexifolia	Small, erect shrub 1.3mx1.5m. Hardy. Prefers	Profuse yellow ball-like flowers in late
MIMOSACEAE ##	well-drained, dry position. Prune after	winter. Small narrow slightly bent
Bent-leaf Wattle	flowering. Frost hardy to –7°C.	foliage.
(Qld, NSW, Vic)	Short to 2001 200 Society for a consistency	D. d
Acacia lanigera MIMOSACEAE ##	Shrub to 2mx1–2m. Suitable for a variety of	Dark green, narrow foliage, woolly
Woolly Wattle - Local	soils with reasonable drainage in full sun or part shade. Frost hardy to -7° C.	when young. Bright yellow ball flowers in spring.
*Alyxia ruscifolia	Erect shrub to 3mx1.5m. Needs well-composted	Good feature plant, showy in flower
APOCYNACEAE ##	soil. May be attacked by scale and sooty mould.	and fruit. Dark green, glossy leaves in
Moonya; Native Holly	Frost hardy to -7° C.	whorls. Perfumed white flowers in
(Qld, NSW)	Trost hardy to 7 C.	summer and orange fruit in autumn.
Anigozanthos flavidus	Strap-leafed plant 2mx1.5m. Hardy in most	Tallest kangaroo paw. Yellow-green or
HAEMODORACEAE ##	positions. Frost hardy.	pinkish flowers, spring to autumn.
Kangaroo Paw (WA)		Attracts nectar-feeding birds.
Aotus ericoides	Variable small shrub 0.5–1.5mx0.5 –1.5m.	Yellow and red pea flowers in spring.
FABACEAE #-##	Grows in wide range of soils and climatic	Dense, narrow leaves. Ornamental
Common Aotus	conditions. Withstands wet soils for extended	when in full bloom.
(Qld, NSW, Vic, Tas, SA, WA)	periods. Full sun preferred. Frost hardy to -7° C.	
Austromyrtus dulcis	Ground cover to low shrub 0.3-0.6mx1m.	Reddish new growth. Profuse fluffy
MYRTACEAE #	Prefers moist, well-mulched soils. Needs some	white flowers summer to mid-autumn.
Midgen Berry	overhead cover from frost. Water in dry spells.	Pale sweet edible berries, about 1 cm
(Byron Bay to Fraser Is)		diameter, in autumn. Bush Food
Babingtonia 'Howie's Sweet	Small compact shrub 1mx1m. Quite drought	White flowers, 5–6mm across, appear
Midget'	resistant in cool temperate to tropical regions.	in umbels near the end of branchlets in
MYRTACEAE #	Tolerates quite heavy frosts. Light but regular	summer. Suitable for pots and
(Qld) Babingtonia 'White Cascade'	pruning after flowering keeps the plant bushy.	rockeries. Good as architectural feature.
(B. pluriflora)	Low spreading shrub to 0.5mx1.5m. Pendulous branchlets. Frost hardy to -7° C. Drought	Attractive coppery coloured new growth. White pendulous flowers in
MYRTACEAE #	resistant.	summer and autumn.
Baeckea imbricata	Small, erect shrub 0.6mx0.5m. Useful plant for	Small linear leaves. Profuse white 4mm
MYRTACEAE #	wet situations. Full sun to part shade. Frost	flowers Nov-Mar. Prune to shape.
(Sthn Tablelands NSW)	hardy to -7°C.	Towers 100 Mar. I faile to shape.
* Baeckea diosmifolia x	Shrub 0.3-1mx0.3m. Well drained. Some shade	Small white flowers, spring-summer.
imbricata	OK. Frost hardy to -7° C.	Prune after flowering.
MYRTACEAE #		-6-
Baeckea linifolia	Small to medium shrub, 1–3x0.5–2m. Adapts to	Flowers white, small but profuse, most
MYRTACEAE ##	most situations, more compact in full sun.	of year but especially in summer. Leaf
Weeping Baeckea, Flax Leaf	Drought tolerant but grows well in damp spots.	tips often bronze or reddish. Weeping
Heath Myrtle	Prune regularly for bushy shape. Frost hardy to	habit. Outstanding feature plant.
(Qld, NSW, Vic)	_7°C.	Foliage useful in flower arrangements.

GENUS x SPECIES	SIZE AND GROWING HINTS	DESCRIPTION
FAMILY/ height code	(size given as height x width)	
COMMON NAME	, c	
HEIGHT CODE: $\#=<1$ m $\#=1-5$ m. $\#\#=5-12$ m		
Banksia integrifolia	Large shrub or small tree 10-16m. Upright,	Pale yellow cones summer to winter.
PROTEACEAE ###	slender and canopied. Full sun to part shade.	Pinkish wood has an attractive
Coast Banksia	Prefers sandy acidic soil - sandy loam. Frost	oak-like appearance. Source of honey
(Widespread extending 3000km	hardy to -7°C, moderate drought tolerance.	for birds. Can be trimmed to retain
along east coast of Australia)		compact shape.
Banksia serrata	Tall - height up to 15m. Full sun or very light	Provides nectar and pollen to a range of
PROTEACEAE ###	shade. Tolerates most soils, except heavy clay.	bird species, arboreal mammals and
Saw Banksia/Old Man Banksia	Frost hardy to -7°C, drought tolerant once	insects. Prune if needed.
(Tas, Vic, NSW, Qld)	established.	
Blandfordia grandiflora	Slow growing grass-like plants with narrow	Tubular red flowers with yellow tip are
LILIACEAE #	leaves. Requires moist, well-drained soil,	quite large on stems 30-60cm long.
Christmas Bells	preferably light texture such as sandy loam.	Flowers produce nectar and are
(NSW, SE Qld)	Appreciates some protection from full sun but	frequented by honey eating birds.
	not full shade. Tolerant of moderate frosts.	Suitable for pots.
Boronia 'Sunset Serenade'	Dense shrub 1mx1m. Full sun to semi-shade.	Pink flowers, very showy from August
RUTACEAE #	Frost hardy and moderately drought resistant.	to December. Useful for rockeries and
(From wild population <i>Boronia</i>		tubs.
muelleri in Gippsland)		
Bossiaea cinerea	Dense small shrub 1–2mx1–2m. Grows in wide	Yellow pea flowers with dull red back
FABACEAE ##	range of soil types but prefers fairly well drained	August to December. Very ornamental.
Showy Bossiaea	soil and dappled shade or part sun. Hardy to	
(NSW, Vic, Tas, SA)	light frosts.	
Brachyscome 'Strawberry	Groundcover 0.15mx1m. Hardy in most soils	Showy pink daisy flowers from spring
Mousse'	with good drainage. Frost hardy and drought	to autumn. Suitable for containers,
ASTERACEAE #	tolerant.	hanging baskets, rockeries and as
Brachyscome multifida	Bushy perennial 0.2mx0.4m. Very hardy in most	ground cover. Lavender blue to purple daisyflowers
'Amethyst'	situations but prefers reasonable drainage and	from spring to autumn. Dark green
ASTERACEAE #	full sun. Drought tolerant. Frost hardy to	foliage and stems.
Cut Leaf Daisy	-7°C.	Tomage and stems.
Brachyscome multifida	Bushy perennial to 0.4mxto1m. Very hardy in	Bright blue-mauve daisy flowers 2cm
'Breakoday'	most situations but prefers reasonable drainage	across, most of year - best in
ASTERACEAE #	in full sun. Drought tolerant. Frost hardy to –	spring/summer. Suits baskets, rockery,
(Qld, NSW, Vic)	7°C. Prune old stems in early spring.	bedding. Spreads well.
Brachyscome multifida	Bushy perennial 0.1–0.4mx0.2–1m. Very hardy.	Bright blue-mauve daisy flowers most
'Roulette'	Adaptable but prefers reasonable drainage in full	of year, best spring/summer. Rockery
ASTERACEAE #	sun. Drought tolerant. Frost hardy to -7°C.	or ground cover. Spreads by branching
	Prune old stems in early spring.	and underground suckers.
Brachyscome multifida var	Bushy perennial 0.1–0.4mx0.2–0.4m. Very	Large white daisy flowers most of year,
alba	hardy. Dense prostrate plant. Adaptable but	best spring/summer. Baskets, rockery
ASTERACEAE #	prefers reasonable drainage in full sun. Drought	or ground cover. Spreads by branching
	tolerance low. Frost tolerant. Prune old stems for	and underground suckers.
	continuous display.	
Bulbine glauca	Tufted perennial 0.5m. Grows in crevices on	Long greyish leaves and yellow flowers
ASPHODELACEAE #	cliffs. Good drainage in sun or part shade. Dies	on stems of 1m in spring.
Rock Lily	back in winter.	
(NSW, Vic, Tas, Qld) Local		

GENUS x SPECIES FAMILY/ height code COMMON NAME	SIZE AND GROWING HINTS (size given as height x width)	DESCRIPTION
HEIGHT CODE: #=<1m ## =1-5m. ### =5-12m		
*Callistemon 'Nabiac Red' (Form of C. acuminatus) MYRTACEAE ## From Nabiac-Bulahdelah (central NSW coast)	Medium to tall shrub 2-3mx2m, erect habit. Adaptable. Full to part sun, most reasonably drained soils. Frost hardy to -7C. Tolerates dry conditions.	Bright red bottlebrush flowers in spring to early summer. Broad lanceolate leaves with sharp point. Bird attractant. Prune behind flowers for dense appearance.
*Callistemon 'Tin Sal Glow' MYRTACEAE ## (Glasshouse mtns. SE Qld)	Open, multi-stemmed shrub with swollen base 3-5mx1.5m. Most reasonably drained soils in full sun. Drought resistant. Fairly frost tolerant.	Glowing pink flower spikes, mainly in spring and autumn - cut off after flowering. Flowers well after rain. Glowing pink new foliage. Cultivar. of <i>C. 'Glasshouse Country'</i> and <i>C. recurva (Tinaroo)</i> .
Callistemon subulatus MYRTACEAE ## (Dwarf Bottlebrush) (NSW, Vic)	Hardy compact shrub 1.5mx2.5m. Most well-drained soils in sun or part-shade. Prune after flowering. Frost hardy to -7°C.	Very narrow leaves. Crimson brushes well displayed in late spring and summer. Very decorative.
*Callistemon viminalis MYRTACEAE ### Weeping Bottlebrush (E coast from Cape York to NE NSW and W slopes of Great Dividing Range)	Weeping large shrub to small tree to 6m. Best in moist soils in full sun. Borderline for frost tolerance - needs some overhead cover.	Silky new growth. Profuse, long red flower spikes, mainly late spring, attract birds. Outstanding feature plant, popular and widely grown. Useful screen plant, specimen or street tree.
Calostemma purpureum (purple form) AMARYLLIDACEAE # Garland lily (NSW, Vic, SA)	Very hardy bulbous plant, succulent leaves 0.35m long. Tolerates dry periods but not cold poorly-drained soils. Bulbs slowly form clumps. Frost hardy to -7°C.	Wine-red trumpet-like flowers on 40 cm stems. Flowers best after dry periods. Do not water after leaves begin to yellow in spring. Large berrylike seeds in autumn, which germinate readily. May take 3-4 years to flower.
Calostemma purpureum (yellow form) AMARYLLIDACEAE # Garland lily (NSW, Vic, SA)	Very hardy bulbous plant, succulent leaves 0.35m long. Tolerates dry periods but not cold poorly-drained soils. Bulbs slowly form clumps. Frost hardy to -7°C.	Yellow trumpet-like flowers on 40 cm stems. Flowers best after dry periods. Do not water after leaves begin to yellow in spring. Large berry-like seeds in autumn which germinate readily. May take 3-4 years to flower.
Calostemma purpureum (colour unknown) AMARYLLIDACEAE # Garland lily (NSW, Vic, SA)	Very hardy bulbous plant, succulent leaves 0.35m long. Tolerates dry periods but not cold poorly-drained soils. Bulbs slowly form clumps. Frost hardy to -7°C.	Trumpet-like flowers on 40 cm stems. Flowers best after dry periods. Do not water after leaves begin to yellow in spring. Large berry-like seeds in autumn which germinate readily. May take 3-4 years to flower.
*Calotis lappulacea ASTERACEAE # (Qld, NSW, Vic, SA, WA) Local	Dwarf perennial herb 0.3–0.5mx 0.3–0.5m. Most soils with reasonable drainage in full to part sun. Prune old stems early spring. Frost hardy to –7°C.	Small yellow globular flowers spring to autumn. Lobed, hairy leaves. Seed a sticky, small burr.
Ceratopetalum gummiferum CUNONIACEAE ### NSW Christmas Bush	Tall shrub or small tree to 6mx3m. Needs well-drained soil. Sunny position for good flowering. Needs overhead frost protection when young	Soft cream clusters and then red bracts appear after flowering in early summer. Good cut flower. Green, trifoliate,

GENUS x SPECIES	SIZE AND GROWING HINTS	DESCRIPTION
FAMILY/ height code	(size given as height x width)	
COMMON NAME		
Н	EIGHT CODE: #=<1m ## =1-5m. ### =	-5–12m
	then OK to -4°C. Needs daily watering when	toothed & whorled leaves. Moderately
	first planted. Prune heavily to rejuvenate.	compact and suitable for large
	J	containers
Ceratopetalum gummiferum	Tall shrub or small tree to 6mx3m. Needs	Large red bracts appear after flowering
'Wildfire'	well-drained soil. Sunny position for good	in early summer. Good cut flower.
CUNONIACEAE ###	flowering. Needs overhead frost protection when	Green, trifoliate, toothed & whorled
NSW Christmas Bush	young then OK to -4°C. Needs daily watering	leaves. Moderately compact and
	when first planted. Prune heavily to rejuvenate.	suitable for large containers.
Chamelaucium 'Cascade	Shrub 1.5mx1.5m. Most well drained soils in	Pink flowers. Useful for informal
Brook'	full sun. Tolerates high wind and light frost.	hedge, cut flowers and borders.
(C. uncinatum)		Selectively bred from two forms of <i>C</i> .
MYRTACEAE ## (WA)		uncinatum.
*Chamelaucium 'Murfit	Small, fast-growing open shrub to 3mx4m.	Variable colour from white to deep
Rose'	Perfect drainage essential, sandy soil preferred.	purple waxy flowers in spring. Prune
(C. uncinatum)	Full sun for massed flowering. Give some	after flowering to maintain density and
MYRTACEAE ##	overhead cover against frost.	increase flower display. Excellent cut
Geraldton Wax (WA)		flower – long lasting.
Chorizema varium	Small, spreading shrub 0.3m. Perennial, short-	Pink and orange flowers in spring and
FABACEAE	lived. Sun to light shade. Well-drained sandy,	winter. Feature plant, border plant.
Flame Pea or Limestone Pea #	loamy soil. Not frost tolerant.	Attracts bees and other insects. Tip
(Coastal plains in WA)		prune while young to retain compact
G (D (II D II	Y 1 1 1 5 2 W 1 1 1 1	bush smothered in flowers.
Correa 'Bett's Red'	Large open shrub 1.5mx2m. Hybrid between	Deep pink, tubular flowers, paler at tips
RUTACEAE ##	C. mannii and red flowering form of C. reflexa.	from Mar-Oct. Upper surface of leaves
	Full sun to semi-shade. Frost tolerant. Benefits from pruning.	is rough and underside rusty to light
	from pruning.	green. One of the deepest red-pink correas.
* Correa 'Dusky Bells'	Hardy, spreading shrub 0.3–1x2–4m. Excellent	Profuse pink flowers in winter. Can be
RUTACEAE #	vigorous ground cover. Suits heavy clay soils,	pruned hard. Attracts birds. Cultivar of
(SA, Vic, Tas, NSW)	moist or dry conditions, full sun or shade. Frost	C. reflexa.
	hardy to -7 °C.	
Correa 'Ivory Bells'	Dense shrub to 1.5mx2m. Hardy in moist well	Profuse cream bells. Long flowering.
RUTACEAE ##	drained soils, in a protected situation. Will	Attracts birds. Mulch well to protect
	tolerate full sun once established. Frost hardy to	roots from heat. Prune regularly.
	_7°C.	
Correa baeuerlenii	Bushy shrub 1–2mx1–2m. Moist well drained	Shiny leaves, green bell flowers
RUTACEAE ##	soils in full or filtered sun. Will accept short	autumn, winter, spring. Attracts birds.
Chef's Cap Correa	periods of dryness. Frost hardy to –7°C.	
Correa glabra hybrid cream	Rounded shrub 1mx1m. Well-drained soil, full	Profuse, cream flowers in winter.
RUTACEAE ##	or semi-shade. Frost hardy to -7° C.	Smooth, rounded leaves. Good screen.
	D 1 1 21 21 21 2 2	Attracts birds.
Crowea 'Cooper's Hybrid'	Dense shrub with erect habit 1.5mx1m.	Deep pink, 3 cm diameter flowers
RUTACEAE ##	Well-drained soils. Moderately drought hardy.	Nov-May. Glossy dark green leaves.
(C. exalata x C. saligna)	Frost hardy to -7° C.	Good, long-lasting cut flower. Prune to
(NSW)		promote dense growth.

GENUS x SPECIES FAMILY/ height code COMMON NAME	SIZE AND GROWING HINTS (size given as height x width)	DESCRIPTION
HEIGHT CODE: #=<1m ## =1-5m. ### =5-12m		
*Crowea exalata 'Green Cape' RUTACEAE # (Green Cape area of NSW)	Low and spreading bush 0.15mx0.6m. Most well-drained soils. Prefers dappled shade or partial sun. Frost tolerance – medium.	Mauve flowers, may age to white and then green. Naturally occurring dwarf form of <i>Crowea exalata</i> .
Crowea 'Festival' RUTACEAE # (C. exaltata x C. saligna) Crowea 'Pink Blush' (form of C. exalata) RUTACEAE #	Showy dense shrub to 1mx1m. Hardy. Well drained, mulched site; part shade to full sun. Responds to heavy pruning. Frost hardy to -7°C. Small to medium shrub 1mx1.2m. Most well-drained soils. Prefers dappled shade or partial sun. Frost hardy to -7°C.	Star like 5-petalled pink flowers through autumn and summer. Useful cut flower. Pink buds open white and tinge to pink with age, flowers spring-autumn. Ideal for gardens or containers and as cut flower.
Crowea 'Poorinda Ecstasy' RUTACEAE # (?saligna/exalata hybrid)	Hardy small shrub 1mx1m. Well-drained soil in partial sun or dappled shade.	Pale pink, 2.5cm diameter flowers in leaf axils, DecMay. Light prune after flowering.
Crowea exalata 'Southern Stars' RUTACEAE # (A form of <i>Crowea exalata</i>) (NSW, Vic)	Rounded shrub to 0.7m. Well-drained, mulched soil. Full sun to part shade. Frost hardy to -7°C.	Outstanding ornamental form. Good cut flower with extended flowering season. Prune lightly after flowering flush. Excellent for pot culture.
Dichelachne crinita POACEAE Longhair Plume Grass	Tufted perennial plant 1.5m high. Full sun to half shade. Prefers sand or soil derived from sandstone. Tolerates light frost.	Upright seed heads often have a purple tinge and flowers appear in spring. Useful for narrow gardens, in borders and rockeries.
Elaeocarpus reticulatus 'Prima Donna' (Pink form) ELAEOCARPACEAE ### Blueberry Ash (NSW, Sthn Qld)	Small to medium sized tree 10-15m, usually smaller in gardens. Makes a fine specimen in a large pot. Will withstand some frost. Enjoys some shade, but not essential. Best when well watered.	Leaves to 12cm. Profuse, fringed, pink bell-shaped flowers in spring. Blue olive-like fruits to 1cm in diameter. Blossoms used in wedding bouquets. Form of <i>E. reticulatus</i> .
Grevillea 'Red Wings' PROTEACEAE ## (WA)	Low growing shrub 1.5mx1m. Hardy in most well-drained soils in full sun. Form of <i>G. thelemaniana</i> . Frost tolerance uncertain.	Clusters of bright red spider flowers from late winter to early spring. Dainty grey-green leaves. Nectar-rich flowers pollinated by insects, birds and animals.
Grevillea 'Wakiti Gem' PROTEACEAE # (Vic)	Dense, prostrate plant up to 2.5m across. Requires full sun. Is frost hardy and drought tolerant. Attracts bees.	Assumed hybrid between <i>G.</i> tetragonoloba and <i>G.</i> gaudichaudii. Useful groundcover with deeply divided leaves. Flowers claret coloured and borne at the end of the branches.
*Grevillea 'Waverley Ghost' (variegated) PROTEACEAE #_##	Dense bushy shrub 0 6–1mx1.5–2m. Adaptable to a variety of soil conditions. Full sun or semi-shaded. Frost hardy to -7°C. Drought resistant and frost hardy.	Red flowers. Irregular variegated foliage.
Grevillea australis 'Cara Lynn' PROTEACEAE ##	Medium, bushy shrub, 2mx 2m. Tall form of <i>G. australis</i> . Most soils with reasonable drainage. Full to part sun.	White, spidery flowers with honey perfume in summer. Prickly, needle-like foliage. Bronze new growth. Can be used for hedging.

GENUS x SPECIES	SIZE AND GROWING HINTS	DESCRIPTION
FAMILY/ height code	(size given as height x width)	
COMMON NAME	,	
H	EIGHT CODE: #=<1m ## =1-5m. ### =	=5–12m
Grevillea confertifolia	Hardy, dwarf to small shrub 0.2mx1–2m.	Suitable container plant. Slightly
(prostrate form)	Well-drained, sunny position with ample	pendulous, dense racemes of terminal
PROTEACEAE #	moisture most suitable. Nitrogenous fertilizer	mauve-pink spider flowers Sep-Oct.
Grampians Grevillea	early spring/late summer. Frost hardy to -7° C.	Deep green foliage. Bird attracting.
(Vic—Grampians Range high		Useful rockery/ground cover.
altitudes)		
*Gynatrix pulchella	Medium to tall shrub 2.5mx1.5-3.5m. Needs free	Profuse panicles of white, perfumed
MALVACEAE ##	draining soils. Will grow in shady areas or full	flowers. Male and female plants, but
Hemp Bush	sun. Frost hardy to -7°C. Responds to light	the male is more showy. Lanceolate
(NSW, Vic, Tas, SA)	pruning to prevent becoming straggly.	leaves, toothed, glabrous on top and hairy underneath.
Hakea laurina	Upright shrub or small tree to 5mx3-10m. Full	Soft cardinal or cherry red flowers
PROTACEAE ##	sun – most soils. Drought tolerant.	April to August. Used as hedging or
Pincushion Hakea	Frost tender in the new tip growth made during	street plant in America and Italy.
(S-Western Australia)	autumn unless sheltered by trees. Young plants	Attracts nectar feeding birds. Prune for
	may be covered nightly during winter.	shaping.
*Hardenbergia comptoniana	Vigorous climber 1.5 to 2m as ground cover or	Racemes of mauve to purple pea
FABACEAE #-##	over retaining wall. Most soils in sunny or	flowers. Peak flowering winter and
Native Wisteria	lightly shaded areas. May be pruned if	spring. Attracts butterflies.
(WA)	necessary. Frost hardy. Can tolerate dry conditions.	
Hibbertia empetrifolia	Small to medium shrub up to 1-3mx1-2m,	Young growth dark, shiny green.
DILLENIACEAE ##	trailing or climbing. Prefer open sunny spot.	Profuse yellow flowers September to
Scrambling Guinea Flower	Responds well to pruning. Tolerates light to	October. Plants can resemble yellow
(NSW, Vic, Tas)	moderate frosts.	mounds with the foliage scarcely
		visible. Can be grown as a shrub or
		trained on a fence. Extra water in dry
Hibbertia pedunculata	Semi-prostrate to 0.2mx1m. Tends to root at	conditions. Small, dark green leaves. Profuse bright
DILLENIACEAE #	nodes. Soil should be kept moist but not too wet.	yellow flowers on long peduncles,
(Sthn Tablelands NSW)	Part sun. Responds well to pruning. Frost hardy	Aug—Mar. Excellent garden plant and
(Sum Tublelands 145 44)	to -7° C.	useful in containers. Good on banks.
		Good weed suppressor.
Isopogon anemonifolius 'Little	Dwarf compact shrub, 0.65mx0.8m. Full sun.	Showy soft yellow flowers in winter to
Drumsticks'	Most well drained loamy to sandy soils. Hardy	spring. Deeply lobed leaves. Good cut
PROTEACEAE #	to most frosts and drought tolerant. Prune spent	flower and container plant. Attractive
	flowers.	cones after flowers.
Kunzea baxteri	Open, spreading shrub to 3 mx3m. Full sun to	Bright red bottlebrush-like flowers.in
MYRTACEAE #	part shade in most soils. Needs some overhead	spring and summer. Attracts parrots to
Common Kunzea	protection from frost.	flowers and fruit. Aromatic foliage. Tip
(WA)		prune after flowering.
Kunzea bracteolata	Erect shrub 1.5mx1m. Neat foliage. Most soils	Cream, terminal flowers with
MYRTACEAE ##	suitable. Flowers best in full sun. Comes from	prominent stamens spring and early
Stiff Kunzea	granite hills, often in crevices. Frost hardy.	summer. Attracts insects, and birds.
(Qld/NSW border)		

GENUS x SPECIES	SIZE AND GROWING HINTS	DESCRIPTION
FAMILY/ height code	(size given as height x width)	
COMMON NAME	(SIZE SIVER AS HEIGHT A WIGHT)	
	EIGHT CODE: #=<1m	5–12m
*Leionema ambiens	Erect shrub to 2.5mx1m. One of the hardiest	
*Leionema ambiens RUTACEAE ##		Handsome, distinctive, quick growing.
	species. Requires well-drained acidic soils, some shade and mulch to ensure a cool root run. Frost	Unusual stem-clasping elliptical leaves.
(syn.Phebalium ambiens) Forest Phebalium		Heads of white flowers in spring and
	tolerant. Slender shrub 0.6-1-2mx0.5-1m. Acidic soil,	Summer.
Leionema gracile RUTACEAE #	good drainage, part sun, some overhead shade.	Showy terminal white flowers winter
(NSW, SE Qld)	Needs some care.	and spring. Hairy branches with spicy leaves. Prune to promote lateral growth.
Leionema phylicifolium	Small rounded shrub 1mx1m. Suitable for heavy	Cream to yellow profuse flowers in
RUTACEAE #	shade. Prefers well-drained soils. Frost tolerant.	summer. Prune to shape if needed.
(NSW, Vic)	Not tolerant of drought.	summer. Fruite to shape if fleeded.
Leptorhynchos nitidulus	Slender stoloniferous herb with a basal tuft of	Compound valley, head on stells 2. 9 cm
ASTERACEAE #	leaves 0.2mx0.4m. Adapts to most well-drained	Compound yellow head on stalk 2-8cm long, summer to autumn. Prune off old
Shiny Button	soils. Tolerates full sun, semi-shade or dappled	flower-heads. Leaves linear, dull green,
(NSW, Vic, Tas)	shade. Frost hardy to -7° C. Prune hard to	glabrous except when young. Good
(110 11, 11c, 1 as)	rejuvenate.	ground cover.
Leptospermum 'Copper	Handsome, quick growing shrub to 4mx4m.	Attractive bronze-green foliage. White
Crest'	Most soils and aspects suitable. Frost hardy to	flowers to 1.5mm diameter in summer.
(form of L. morrisonii)	-7°C in conditions of normal rainfall.	Good screen and hedge plant.
MYRTACEAE ##	7 C in conditions of normal runnant.	Good screen and neage plant.
(NSW)		
Leptospermum 'Julie Ann'	Prostrate shrub 0.3mx1-2m. Full sun to part	Pale mauve flowers Oct-Dec. Responds
MYRTACEAE #	shade in moist well-drained soil. Withstands dry	well to pruning. A good cut flower.
Tea Tree (NSW)	periods. Frost hardy.	Cultivar of <i>L. rotundifolium</i> .
Leptospermum 'Pink	Prostrate shrub 0.8mx1m. Prefers well-drained	Profuse, pink flowers 15mm in
Cascade'	soils with dappled shade but not fussy. Flowers	diameter spring to early summer.
MYRTACEAE #	better with full sun. Appreciates little extra	Young growth bright red. Prune only to
	water in hot summers. Frost and drought	keep in shape. Control webbing
	tolerant.	caterpillars with Dipel.
Leptospermum rotundifolium	Hardy open shrub 2mx1.5m. Most reasonably	White to deep pink flowers spring-
MYRTACEAE ##	drained soils. Grows rapidly. Prune lightly after	summer. Shiny round leaves. Screen or
Round leaf Tea-tree	flowering. Frost hardy to –7°C.	feature plant.
(Sthn Tablelands NSW)		
Leucophyta 'Cape Le	Shrub to 0.2–1mx0.5–1.5m. For warm airy site.	Grown for silvery foliage. Small
Grande'	Dislikes hot humid conditions. Drought hardy	terminal yellow flowers
ASTERACEAE #	and frost hardy to –7°C.	spring/summer. Prune often.
Cushion Bush		Overwatering can cause death.
(Coastal sites, Sthn Aust)		
Leucophyta brownii	Dwarf shrub with silvery-hairy new growth	Globular cream flower-heads. Branches
ASTERACEAE #	0.2-1mx0.5-1.5m. Adapted to a wide range of	silvery; leaves scale like. Good for
(Vic, Tas, SA, WA)	well-drained soils. Prefers sun. Tolerates frost	exposed coastal sites. Ornamental
	and drought but dislikes warm to hot humid	foliage. Responds well to pruning.
M 1 1 (D P 1 1	conditions.	D 6 1 2 1 1 1
Melaleuca 'Ballarkona'	Woody erect shrub about 3m tall to 5m wide.	Profuse large, cream flowers in lateral
(M. armillaris probably one	Very hardy in Canberra. Frost hardy and drought	spikes in spring. Thin green leaves. Can
parent)	tolerant.	be pruned.
MYRTACEAE ###		
(from Qld, near Toowoomba)		

GENUS x SPECIES	SIZE AND GROWING HINTS	DESCRIPTION
FAMILY/ height code	(size given as height x width)	
COMMON NAME	,	
H	EIGHT CODE: #=<1m ## =1-5m, ###	=5–12m
*Melaleuca erubescens	Erect shrub 1-2mx1-3m. Hardy in most soils an	d Attractive, crowded small spikes of
MYRTACEAE ##	aspects. Regular pruning recommended. May	mauve flowers to 4 cm Aug–Jan.
(NSW slopes, Qld)	need supplementary watering in dry periods.	Linear dark green leaves. Good screen
	Frost hardy to -7° C.	or hedge plant. Good for bees.
*Melaleuca linariifolia	Medium to large shrub 2.5mx2m but may be	Very showy, fluffy, white flowers
'Seafoam'	taller. Suits most climates and soils; withstands	cover the plant in spring and summer.
MYRTACEAE ##	poor drainage. Frost hardy.	Prune to shape. Will not flower in dry
Snow-in-summer		conditions.
(SE Qld to SE NSW, central		
Qld)		
Microlaena stipoides	Slow spreading perennial grass	Strappy, fairly narrow, short leaves.
POACEAE #	0.1x0.3m x 0.2-1m. Full to part sun. Reasonabl	
Weeping Grass	well-drained soil. Frost hardy to -7°C. Drought	
(Qld, NSW, Vic, Tas, SA, WA)	tolerant.	the best.
Local		
Myoporum 'Monaro Marvel'	Hardy open shrub 1mx1m. Most reasonably	Pink buds and small white flowers,
MYOPORACEAE #	drained soils in full sun or part shade. Frost	ageing to red. Attractive plant.
Local hybrid	hardy to -7° C.	
Olearia algida	Small shrub 0.5-1mx0.5m. Likes moist, shady	Daisy flowers with conspicuous white
ASTERACEAE #	aspect in most soils. From sub-alpine and alpine	
Mountain Daisy Bush	areas. Frost hardy.	clusters on leafy branchlets.
(NSW, ACT and Tas.)		
*Olearia argophylla	Tall shrub/small tree 3–10mx2m. Fast growing	Cream daisy flowers in terminal
ASTERACEAE ##-###	in well composted soils. Plenty of moisture but	clusters mid-spring to early summer.
Musk Daisy Bush	good drainage. Good plant for shady position.	Toothed leaves to 15cm, silvery on the
Grows Locally	Frost hardy to -7° C.	underside.
Olearia microphylla	Hardy shrub to 2mx1.5m. Open sunny spot in	Masses of white daisy flowers in
ASTERACEAE ##	most well-drained soils. Tip prune after	spring. Often regenerates from seed.
Small leaved Daisy Bush/Bridal	flowering to keep bushy. Frost hardy to -7° C.	Suitable for cottage gardens.
Daisy Bush		
Local		
Olearia phlogopappa	Small shrub 1–2.5mx1–2.5m. Semi-shaded site	Massed blue daisy flowers in spring.
(blue form)	with freely draining, acidic soil. Needs regular	Grey-green leaves. Easily grown; quick
ASTERACEAE ##	watering. Frost hardy to -7° C. Pruning	growing; very hardy. Can be long lived,
Alpine Daisy Bush	recommended for bushy growth.	if it receives enough moisture.
(NSW, Vic, Tas) Local	C	Manadariah daine Chamanina
Olearia phlogopappa	Small shrub 1–2.5mx1–2.5m. Semi-shaded site	Massed pink, daisy flowers in spring.
(Pink form) ASTERACEAE ##	with freely draining, acidic soil. Needs regular	Grey-green leaves. Easily grown; quick
	watering. Frost hardy to -7° C. Pruning recommended for bushy growth.	growing; very hardy. Can be long lived, if it receives enough moisture.
Local Olearia phlogopappa	Small shrub 1–2.5mx1–2.5m. Semi-shaded site	Massed white daisy flowers in spring.
(white form)	with freely draining, acidic soil. Needs regular	Grey-green leaves. Easily grown; quick
ASTERACEAE ##	watering. Frost hardy to -7°C. Pruning	growing; very hardy. Can be long lived,
(NSW, Vic, Tas) Local	recommended for bushy growth.	if it receives enough moisture.
(110 ff, vic, 145) Local	recommended for busing growth.	ii it receives chough moisture.

CENTIC CRECIES	CITE AND CROWING HINTER	
GENUS x SPECIES	SIZE AND GROWING HINTS	DESCRIPTION
FAMILY/ height code	(size given as height x width)	
COMMON NAME		
Н	EIGHT CODE: #=<1m ## =1-5m. ### =	5–12m
* Patersonia sericea	Tufted perennial 0.2-0.5m x 0.1-0.3m. Full sun	Strappy leaves, large, dark purple
IRIDACEAE #	for best flowering, well-drained soil. Frost hardy	flowers winter-summer. Floriferous,
Silky Purple Flag	to -7°C, drought tolerant	good in pots. Remove spent heads after
(Qld, NSW, Vic)		flowering.
Pelargonium rodneyanum	Beautiful, hardy perennial 0.3mx0.5m. Roots	Magenta flowers borne above leaves
GERANIACEAE #	develop tubers. Most sunny or part-shaded well-	May–Sept. Appreciates some moisture
Magenta Storkbill	drained, acidic soils. Reduce water in winter.	in summer and autumn. May self-seed.
(SA, NSW, Vic)	Semi-drought tolerant. Prune hard during winter.	Rockery or groundcover plant. Easy
	Frost hardy to –7°C.	removal prevents it becoming invasive.
Philotheca 'Poorinda'	Small to medium shrub 1.5mx0.8m. Full sun to	Bright pink buds opening to white with
RUTACEAE ##	dappled shade in most soils. Frost and drought	a pink tinge. Flowers from spring to
Possibly cross between form of	hardy.	summer.
P.myoporoides and P.		
verrucosa		
Philotheca 'Stardust'	Shrub to 2mx1.5-3m. Good drainage, mulch,	Fragrant, dark green, foliage. Pink
RUTACEAE ##	dappled shade. Tolerates semi- to full-sun, frost	buds, white starry flowers, solitary
(Qld, NSW and Vic)	hardy, adaptable. Prune after flowering	and/or clustered, winter to spring.
	X	Showy.
Pimelea ferruginea 'Magenta	Neat, rounded shrub to 1mx1m. Well-drained	Deep pink flowers in terminal clusters
Mist'	soil. Sunny or part shade. Frost hardy to -7° C.	in spring. Feature plant with attractive
THYMELAEACEAE # - ##		foliage.
(Form of P. ferruginea)(WA)	Shrub or small tree 4-5mx4-5m, depending on	Sweet smelling flowers. Male and
*Pittosporum bicolor	location. Very stiff erect habit. Prefers shaded	female flowers on different trees.
PITTOSPORACEAE ##	location in well composted soil, with ample	Suitable for hedge, topiary and
Banyalla	moisture. Frost tolerant. Slow growing.	Christmas trees.
(Tas to sthn NSW)		
*Podocarpus elatus	Tree to 3-5m in wild, much less in cultivation.	Male plant good specimen and shade
PODOCARPACEAE ###	Most soils and aspects suit. Frost hardy to -7° C.	tree. Female plant has blue-black
Brown/Plum Pine		grape-sized edible fruits. Good tub
(Qld, NSW)	Shruh 2mv5m Noodo sama shada Dagular	plant. BUSH FOOD
Polyscias sambucifolia	Shrub 3mx5m. Needs some shade. Regular	Almost invisible yellow-green flowers
(fine leaf form)	weekly watering over summer. Can stand wet	followed by clusters of attractive pale lavender berries. Grown for ferny
ARALIACEAE ##	soils for some time but prefers mulched, well-drained soils. Frost hardy to -4°C.	
Elderberry Panax	wen-dramed sons. Flost hardy to -4 C.	foliage. Prune branches off if affected
(coastal ranges NSW, Vic) Polystichum proliferum	Hardy, clump-forming fern to 1mx2m. Most	by borers or gum. Dark green fronds, up to 100 cm long.
ASPIDIACEAE #	reasonably damp or poorly drained soils in full	Small fern plantlets are produced near
Mother Shield Fern	sun to heavy shade. Withstands dry periods once	end of mature fronds. Easily grown in
(Alpine regions of NSW, sthn	established. Frost hardy to -7° C.	large pot. Suitable indoor plant. Hardy,
Qld, Vic, Tas and SA)	commission. I rost nardy to 7 C.	attractive feature under trees.
Pomaderris elliptica	Erect shrub to 3mx2m. Leaves to 10cm. Prefers	Yellow flowers in large heads in spring.
RHAMNACEAE ##	good drainage and full sun. Frost hardy to -7°C.	Very showy in flower, pleasant foliage.
Yellow Dogwood		Can be attacked by borers.
(NSW, Vic, Tas)		
()		

*Indicates plants five or fewer in number SIZE AND GROWING HINTS

"Indicates plants live or lewer in number CENTIC CDECLEC CLZE AND CDOWING HINTS DESCRIPTION		
GENUS x SPECIES	SIZE AND GROWING HINTS	DESCRIPTION
FAMILY/ height code	(size given as height x width)	
COMMON NAME		
HEIGHT CODE: $\#=<1$ m $\#\#=1-5$ m. $\#\#\#=5-12$ m		
*Prostanthera 'Kallista Pink'	Fast growing, tall, open shrub 4-5mx3m.	Naturally occurring form of <i>P</i> .
LAMIACEAE ##	Tolerates heavy shade or full sun.	lasianthos from Dandenong Ra in
		Victoria. Deep clear pink flowers borne
		in profusion in summer.
Prostanthera 'Ragged Robin'	Medium spreading aromatic shrub to	Leaves grey-green to pale green with
LAMIACEAE ##	3.5mx4m.Best in temperate and sub-tropical	ragged edges. Pale mauve-blue flowers
Mint Bush	regions. Requires well-drained acidic soils with	to 1.5 cm in spring. Usually profuse
	moderately sunny or semi-shaded aspect. Hardy	and very conspicuous. Pruning required
	to most frost and withstands limited dry periods.	to induce a more dense foliage cover.
*Prostanthera cruciflora	Rounded, compact shrub 1mx0.6m. Prefers	Clusters of white to pale mauve flowers
(white)	relatively dry conditions. Frost hardy to -7°C.	in spring. Pale greyish-green leaves.
LAMIACEAE #		
(NSW)		
Rytidosperma laeve	Small to medium tussock grass 0.2-0.6m by	Fluffy white heads in spring and
POACEAE #	0.2m. Part to full sun. Reasonably well-drained	summer. Feature grass, green all year,
Smooth Wallaby Grass	soil. Frost hardy to -7° C. Drought tolerant.	can be grazed, lawn potential. Remove
NSW, Vic, SA, Tas, Local	son. Frost hardy to 7 C. Drought tolerant.	spent heads.
Senecio anethifolius ssp.	Dwarf to small, usually erect shrub 0.5-2mx0.3-	Terminal, yellow flower-heads Aug-
brevibracteolatus	m. Prefers warm to hot sunny site with free-	Nov. Ornamental, fine grey foliage.
ASTERACEAE #-##	draining soil. Tolerates extended dry periods and	Pruning rejuvenates plants with new
Feathery Groundsel	is hardy to moderate frosts.	growth emerging from old wood.
(NSW, SA)	is hardy to moderate mosts.	growth emerging from old wood.
*Senecio pinnatifolius ssp	Upright variable annual or short-lived perennial	Flowers yellow August-November.
pinnatifolius	shrub 0.5-2mx0.3-m. Sunny sites with free	Ornamental. Tip prune to promote
ASTERACEAE #-##	draining soil. Frost hardy to -7° C. Drought	bushy growth.
Variable Groundsel	tolerant.	ousny growin.
All States		
Spyridium scortechinii	Rounded shrub to 0.7mx0.7m. Well-drained soil	Woolly heads of white flowers with
(syn. Cryptandra scortechinii)	in full sun or half shade most suitable. Drought	shiny brown bracts in winter-spring.
RHAMNACEAE #	and frost hardy to -7°C.	May be used as a cut flower.
Cotton Bush	,	
(NSW, Qld)		
Swainsona galegifolia	Relatively open, perennial bush 1mx0.5m.	Mauve pea flowers from late spring to
FABACEAE #	Prefers well drained soils, but Canberra clay	first frosts. Balloon like pods usually
Darling Pea	OK. Survives in Canberra with frosted tips. Cut	green but can turn pink from cold. This
(Vic, NSW, Qld)	back old stems when new growth appears in	clone is true to colour from seed.
	spring.	
Tetratheca ciliata (white	Variable dwarf shrub to 50cm. Needs well-	Perfumed white flowers from spring to
form)	drained soil and protection from full sun.	summer. Suitable for rockery or pot.
TREMANDRACEAE #	Tolerates moderate frosts.	, , , , , , , , , , , , , , , , , , ,
Black-eyed Susan		
(NSW, Vic, Tas, SA)		
Thomasia paniculata	Dwarf to small shrub 0.6–2mx0.5-2m. Prefers	Pinkish mauve to purple flowers.
STERCULIACEAE #-##	well drained soil that can retain some moisture	Racemes to 8cm long. Floriferous and
(South West WA)	in semi-shaded site. Will tolerate light frost.	long flowering from Sept–Mar. Pruning
,	6	when young promotes branching.
		when young promotes transming.

GENUS x SPECIES	SIZE AND GROWING HINTS	DESCRIPTION
FAMILY/ height code	(size given as height x width)	
COMMON NAME	,	
H	EIGHT CODE: #=<1m	-5–12m
Thryptomene saxicola 'Pink Lace' MYRTACEAE # (WA)	Small open, slightly pendulous shrub 1mx1.5m. Adaptable and thrives in most well-drained positions. Mulch well. Requires frost protection beyond -5°C.	Tiny deep pink flowers in profusion in winter and spring. Excellent cut flower. Prune after flowering. Form of <i>T. saxicola</i> .
Thryptomene sp MYRTACEAE #	Spreading shrub to 0.5m. Tolerates slightly alkaline but prefers neutral to acid well-drained soils. Frost tolerant. Fertilise in spring to encourage new growth.	Masses of tiny pale pink flowers, mainly winter through spring. Good cut flower. Prune after flowering.
Westringia 'Blue Heaven' LAMIACEAE ##	Dense medium shrub 1.5–2mx1.5–2m. Prefers sunny position but shade tolerant. Prune regularly to maintain dense habit and prolific flowering.	Pale blue flowers most of year. Suitable for small, informal hedges, tubs.
*Westringia glabra (Compact form) LAMIACEAE # Violet Westringia (Qld, NSW, Vic)	Dwarf to small bushy shrub 0.5-1.3mx1-2m. Most well-drained acidic soils in part shade. Good under eucalypts. Drought and frost hardy to -7°C.	Attractive green elliptical leaves in whorls with bluish-mauve flowers in spring.
Xerochrysum bracteatum (dwarf) ASTERACEAE # Straw Flower	Annual daisy 0.3-1mx0.6-0.8m. Very hardy in sunny situations with moist well-drained soil.	Showy everlasting flowers of white, cream, gold, pink or bronze red in spring and summer. Self-seeds readily.
*Xerochrysum viscosum ASTERACEAE # Sticky Paper Daisy (Qld, NSW, Vic, ACT and Tas)	Erect, low growing, perennial herb of multiple stem growth 20-80cm high and 30-80cm wide. Most soils that are well-drained. Prefers full sun exposure and will be short-lived in shade.	Bright yellow flower heads in spring and summer. Prune after flowering in late autumn or early winter to stimulate new shoots and further flowering and maintain bushiness. Flower heads can be dried and preserved whist retaining colour for floral display.
*Ziera smithii x Z. cytisoides RUTACEAE ## (Qld, NSW, Vic)	Small to medium shrub 1mx1m. Well-drained acidic soil in fairly sunny to semi-shaded position. Withstands frost to -7°C.	Profuse pinkish flowers in spring. Trifoliate glabrous aromatic leaves. Adapts well to cultivation and responds to hard pruning.